



[www.shining-cycle.com](http://www.shining-cycle.com)

# *BICYCLE RIM*

Product Specification Guide

## *& MOTORCYCLE RIM*

2012

THE PROFESSIONAL MANUFACTURER OF RIM



## Our story

SHINING CYCLE, Taiwan manufacturer of Bicycle rims, Motorcycle rims and Cycle components came into being in 1972. With almost 40 years of experience, SHINING CYCLE has become one of the biggest rim manufacturer in Taiwan and in Vietnam with 400 staff at the two principal sites in which provide more than 5 million pairs of rims for the world bicycle riders and motorcycle riders per year. SHINING CYCLE always uses advanced technology and equipments to keep products ahead of the market and could perform its best to those bicycle lovers. As we design rims, we build rims, we test rims, we ride on our rims, and of course, we love our rims, thus we need what riders need and even more. We, at SHINING CYCLE, are aiming to bring joy and create excitement to the world cyclists. When you are riding on SHINING rims, the wind touches the skin, you will experience the power of SHINING rims and enjoy the nature environment around you. So, Make your rims SHINING today!



SHINING CYCLE


INDEX

- 01 Road Racing
- 05 Downhill
- 07 BMX & Freestyle
- 11 Overview
- 13 ATB/ MTB/ Trekking
- 19 Single Wall  
Steel Rim
- 23 Spokes & Nipples  
Motorcycle Rim





## Road Racing



Size	Weight(g)	ERD(mm)
700C (622-12)	665	574
650C (571-12)	615	524

**Holes** 20H/24H/28H/32H/36H  
**Option** GSW/CSW  
**Joint** Sleeved



Size	Weight(g)	ERD(mm)
700C(622-14)	900	531
650C(571-14)	833	480

**Holes** 20H/24H/28H/32H/36H  
**Option** GSW/CSW  
**Joint** Welded



Size	Weight(g)	ERD(mm)
700C (622-14)	720	537
650C (571-14)	660	486

**Holes** 20H/24H/28H/32H/36H  
**Option** GSW/CSW  
**Joint** Welded



Size	Weight(g)	ERD(mm)
700C (622-14)	580	556
650C (571-14)	540	506

**Holes** 20H/24H/28H/32H/36H  
**Option** GSW/CSW  
**Joint** Welded



Size	Weight(g)	ERD(mm)
700C (622-14)	677	555
650C (571-14)	629	504

**Holes** 20H/24H/28H/32H/36H  
**Option** GSW/CSW  
**Joint** Welded



Size	Weight(g)	ERD(mm)
700C (622-12)	585	576
650C (571-12)	540	526
24"x1 (520-12)	489	475
20"x1 1/8(451-12)	430	405
20" (406-12)	380	360


**Holes** 20H/24H/28H/32H/36H  
**Option** GSW/CSW  
**Joint** Pinned








### RR-600



Size	Weight(g)	ERD(mm)
700C (622-14)	420	594
650C (571-14)	390	544
26" (559-14)	370	532
<b>Holes</b> 20H/24H/28H/32H/36H		
<b>Option</b> Eyelets/GSW/CSW		
<b>Joint</b> Sleeved		




### RR-500



Size	Weight(g)	ERD(mm)
700C (622-14)	450	590
650C (571-14)	420	540
<b>Holes</b> 20H/24H/28H/32H/36H		
<b>Option</b> GSW		
<b>Joint</b> Sleeved		




### RR-300



Size	Weight(g)	ERD(mm)
700C(622-12)	400	596
650C(571-12)	374	546
20"x1 1/8(451-12)	291	425
<b>Holes</b> 20H/24H/28H/32H/36H		
<b>Option</b> Eyelets/GSW/CSW		
<b>Joint</b> Sleeved		




### RR-200



Size	Weight(g)	ERD(mm)
700C (622-16)	470	606
650C (571-16)	435	556
<b>Holes</b> 20H/24H/28H/32H/36H		
<b>Option</b> GSW/CSW		
<b>Joint</b> Sleeved		




### A-330



Size	Weight(g)	ERD(mm)
700C (622-14)	650	576
650C (571-14)	595	526
20"x1 1/8(451-14)	475	405
20" (406-14)	420	360
<b>Holes</b> 20H/24H/28H/32H/36H		
<b>Option</b> Eyelets/GSW/CSW		
<b>Joint</b> Pinned		



### A-M8



Size	Weight(g)	ERD(mm)
700C (622-13)	510	602
650C (571-13)	475	552
20"x1 1/8(451-13)	370	431
20" (406-13)	335	386
<b>Holes</b> 20H/24H/28H/32H/36H		
<b>Option</b> Eyelets/GSW/CSW		
<b>Joint</b> Pinned		








Downhill

### DB-64



Size	Weight(g)	ERD(mm)
26"(559-58)	1415	534
24"(507-58)	1300	482
20"(406-58)	1033	380


**Holes** 32H/36H/48H

**Option** Eyelets

**Joint** Pinned



### DB-50



Size	Weight(g)	ERD(mm)
26"(559-35)	795	528
24"(507-35)	720	476

**Holes** 32H/36H/48H

**Option** Eyelets

**Joint** Pinned



### DB-32



Size	Weight(g)	ERD(mm)
26"(559-26)	603	529
20"(406-26)	439	375


**Holes** 20H/24H/28H/32H/36H

**Option** Eyelets/GSW/CSW

**Joint** Pinned



### DB-28



Size	Weight(g)	ERD(mm)
26"(559-19)	475	538
24"(507-19)	435	486


**Holes** 32H/36H

**Option** Eyelets

**Joint** Pinned



### DB-26



Size	Weight(g)	ERD(mm)
26"(559-17)	515	538
24"(507-17)	465	486


**Holes** 32H/36H

**Option** Eyelets

**Joint** Sleeved



### DB-45



Size	Weight(g)	ERD(mm)
26"(559-38)	980	534
24"(507-38)	895	482
20"(406-38)	730	380
19"(381-38)	690	359


**Holes** 32H/36H/48H

**Option** Eyelets

**Joint** Pinned



### DB-35



Size	Weight(g)	ERD(mm)
26"(559-30)	680	526
24"(507-30)	620	474


**Holes** 32H/36H/48H

**Option** Eyelets

**Joint** Pinned



### DB-24



Size	Weight(g)	ERD(mm)
26"(559-17)	455	538
24"(507-17)	415	486

**Holes** 32H/36H

**Option** Eyelets

**Joint** Pinned



### DB-23



Size	Weight(g)	ERD(mm)
26"(559-25)	495	530
24"(507-25)	450	478


**Holes** 32H/36H

**Option** Eyelets

**Joint** Pinned



### DB-20



Size	Weight(g)	ERD(mm)
26"(559-25)	615	534
24"(507-25)	555	482

**Holes** 32H/36H

**Option** Eyelets


**Joint** Pinned








**BX-40**



Size	Weight(g)	ERD(mm)
20"(406-25)	690	372
<b>Holes</b> 32H/36H/48H		
<b>Option</b> Eyelets/GSW/CSW		
<b>Joint</b> Pinned		



**BX-38**




Size	Weight(g)	ERD(mm)
26"(559-32)	725	544
24"(507-32)	660	492
20"(406-32)	530	390
19"(381-32)	500	369
16"(305-32)	405	290

**Holes** 24H/32H/36H/48H  
**Option** Eyelets/GSW/CSW  
**Joint** Pinned




**BX-36**



Size	Weight(g)	ERD(mm)
20"(406-25)	690	372
<b>Holes</b> 32H/36H/48H		
<b>Option</b> Eyelets/GSW/CSW		
<b>Joint</b> Pinned		




**BX-35**



Size	Weight(g)	ERD(mm)
20"(406-26)	550	388
<b>Holes</b> 32H/36H/48H		
<b>Option</b> Eyelets/GSW/CSW		
<b>Joint</b> Welded		




**BX-34**



Size	Weight(g)	ERD(mm)
26"(559-28)	572	540
20"(406-28)	417	386
<b>Holes</b> 20H/28H/32H/36H/48H		
<b>Option</b> GSW/CSW		
<b>Joint</b> Pinned		



**BX-33**




Size	Weight(g)	ERD(mm)
20"(406-25)	480	388
16"(305-25)	365	288
<b>Holes</b> 28H/32H/36H/48H		
<b>Option</b> Eyelets/GSW/CSW		
<b>Joint</b> Pinned		







### BX-32




Size	Weight(g)	ERD(mm)
26"(559-24)	530	544
24"(507-24)	480	492
20"(406-24)	385	390
16"(305-24)	290	290

**Holes** 28H/32H/36H/48H  
**Option** Eyelets/GSW/CSW  
**Joint** Pinned



### BX-26




Size	Weight(g)	ERD(mm)
20"(406-25)	485	384

**Holes** 32H/36H/48H  
**Option** GSW/CSW  
**Joint** Pinned



### BX-20




Size	Weight(g)	ERD(mm)
26"(559-24)	530	544
24"(507-24)	480	492
20"(406-24)	385	390
16"(305-24)	290	290

**Holes** 28H/32H/36H/48H  
**Option** Eyelets/GSW/CSW  
**Joint** Pinned



### BX-18




Size	Weight(g)	ERD(mm)
20"(406-23)	540	390
16"(305-23)	405	290

**Holes** 28H/32H/36H/48H  
**Option** Eyelets/GSW/CSW  
**Joint** Pinned



### BX-28




Size	Weight(g)	ERD(mm)
26"(559-27)	664	540
20"(406-27)	484	386

**Holes** 20H/28H/32H/36H/48H  
**Option** Eyelets/GSW/CSW  
**Joint** Pinned



### BX-16




Size	Weight(g)	ERD(mm)
20"(406-24)	445	390
16"(305-24)	335	290

**Holes** 20H/28H/32H/36H/48H  
**Option** Eyelets/GSW/CSW  
**Joint** Pinned



### BX-15




Size	Weight(g)	ERD(mm)
20"(406-26)	450	384
16"(305-26)	340	284

**Holes** 20H/28H/32H/36H/48H  
**Option** GSW/CSW  
**Joint** Pinned



### BX-14



Size	Weight(g)	ERD(mm)
20"(406-25)	370	390
16"(305-25)	280	290

**Holes** 20H/28H/32H/36H/48H  
**Option** Eyelets/GSW/CSW  
**Joint** Pinned





## Overview

### Joining methods



SLEEVED JOINT



WELDED JOINT

### Processing options



EYELETS



GROUND SIDEWALLS



CNC SIDEWALLS

### Material



ZIRCONIUM ALLOY

2012 New Products






POETRY IN MOTION, DANCING CLOSE TO ME.

ATB / MTB / Trekking



### A-400



Size	Weight(g)	ERD(mm)
700C(622-17)	745	574
26"(559-17)	660	511

**Holes** 20H/24H/28H/32H/36H

**Option** GSW/CSW

**Joint** Pinned



### A-320



Size	Weight(g)	ERD(mm)
700C(622-19)	650	578
26"(559-19)	580	515
24"(507-19)	530	464
20"(406-19)	425	362
16"(305-19)	320	262


**Holes** 20H/24H/28H/32H/36H

**Option** GSW/CSW

**Joint** Pinned



### A-300



Size	Weight(g)	ERD(mm)
700C(622-19)	511	588
26"(559-19)	460	526

**Holes** 20H/24H/28H/32H/36H


**Option** Eyelets/GSW/CSW

**Joint** Pinned





MT-35   




Size	Weight(g)	ERD(mm)
700C(622-18)	372	604
26"(559-18)	335	541

**Holes** 32H/36H  
**Option** Eyelets/GSW/CSW  
**Joint** Welded



MT-96




Size	Weight(g)	ERD(mm)
700C(622-17)	515	602
26"(559-17)	465	540
24"(507-17)	420	488
20"(406-17)	340	386
18"(355-17)	300	335
17"x1 1/4(369-17)	303	350
16"x1 3/8(349-17)	295	330

**Holes** 20H/24H/28H/32H/36H  
**Option** Eyelets/GSW/CSW  
**Joint** Pinned



MT-86




Size	Weight(g)	ERD(mm)
700C(622-16)	490	600
26"(559-16)	440	538
24"(507-16)	400	486
20"(406-16)	325	384

**Holes** 20H/24H/28H/32H/36H  
**Option** Eyelets/GSW/CSW  
**Joint** Pinned



MT-46




Size	Weight(g)	ERD(mm)
700C(622-17)	520	602
24"x1(520-17)	437	501
26"(559-17)	465	540
24"(507-17)	425	488
20"(406-17)	340	386

**Holes** 20H/24H/28H/32H/36H  
**Option** Eyelets/GSW/CSW  
**Joint** Pinned



MT-36




Size	Weight(g)	ERD(mm)
700C(622-18)	650	596
26"(559-18)	585	534
24"(507-18)	530	482
20"(406-18)	425	380

**Holes** 20H/24H/28H/32H/36H  
**Option** GSW  
**Joint** Pinned



MT-26




Size	Weight(g)	ERD(mm)
700C(622-18)	545	608
26"(559-18)	495	546
24"(507-18)	420	494
20"(406-18)	335	392

**Holes** 20H/24H/28H/32H/36H  
**Option** Eyelets/GSW/CSW  
**Joint** Pinned



MT-76




Size	Weight(g)	ERD(mm)
700C(622-19)	500	602
26"(559-19)	455	540
24"(507-19)	415	488
20"(406-19)	330	386

**Holes** 20H/24H/28H/32H/36H  
**Option** Eyelets/GSW/CSW  
**Joint** Pinned



MT-66




Size	Weight(g)	ERD(mm)
29er/700C(622-23)	650	598
26"(559-23)	585	536
24"(507-23)	530	484

**Holes** 32H/36H/48H  
**Option** Eyelets/GSW/CSW  
**Joint** Pinned



MT-56




Size	Weight(g)	ERD(mm)
26"(559-22)	485	536
24"(507-22)	440	484

**Holes** 32H/36H  
**Option** Eyelets/GSW/CSW  
**Joint** Pinned



MT-22




Size	Weight(g)	ERD(mm)
700C(622-17)	535	602
26"(559-17)	480	540
24"(507-17)	435	488
20"(406-17)	350	386

**Holes** 20H/24H/28H/32H/36H  
**Option** Eyelets/GSW/CSW  
**Joint** Pinned



MT-20




Size	Weight(g)	ERD(mm)
700C(622-17)	520	602
26"(559-17)	465	540
24"(507-17)	425	488
20"(406-17)	340	386

**Holes** 20H/24H/28H/32H/36H  
**Option** Eyelets/GSW/CSW  
**Joint** Pinned



MT-16



Size	Weight(g)	ERD(mm)
700C(622-18)	545	604
26"(559-18)	490	542
24"(507-18)	445	490
20"(406-18)	360	388


**Holes** 20H/24H/28H/32H/36H  
**Option** GSW/CSW  
**Joint** Pinned







### A-M7



Size	Weight(g)	ERD(mm)
700C(622-20)	710	586
26"(559-20)	640	524
24"(507-20)	580	472
20"(406-20)	465	370


**Holes** 20H/24H/28H/32H/36H

**Option** GSW/CSW

**Joint** Pinned



### A-M6



Size	Weight(g)	ERD(mm)
700C(622-16)	590	596
26"(559-16)	530	534
24"(507-16)	480	482
20"x1 1/8(451-16)	430	425
20"(406-16)	385	380


**Holes** 20H/24H/28H/32H/36H

**Option** GSW/CSW

**Joint** Pinned



### A-M5



Size	Weight(g)	ERD(mm)
700C(622-14)	540	594
20"x1 1/8(451-14)	390	421
16"x1 1/8(349-14)	310	321


**Holes** 20H/24H/28H/32H/36H

**Option** GSW/CSW

**Joint** Pinned



### A-M4



Size	Weight(g)	ERD(mm)
700C(622-19)	545	596
26"(559-19)	495	534
24"(507-19)	445	482
20"x1 1/8(451-19)	400	425
20"(406-19)	360	380
16"x1 3/8(349-19)	315	324
16"(305-19)	270	280


**Holes** 20H/24H/28H/32H/36H

**Option** Eyelets/GSW/CSW

**Joint** Pinned



### A-M3



Size	Weight(g)	ERD(mm)
700C(622-19)	585	588
26"(559-19)	525	526
24"(507-19)	475	474
20"(406-19)	385	372
16"(305-19)	289	272


**Holes** 20H/24H/28H/32H/36H

**Option** GSW/CSW

**Joint** Pinned



### A-M2



Size	Weight(g)	ERD(mm)
700C(622-20)	580	596
26"(559-20)	525	535
24"(507-20)	475	482
20"(406-20)	380	380
16"(305-20)	285	280


**Holes** 20H/24H/28H/32H/36H

**Option** GSW/CSW

**Joint** Pinned



### A-M1



Size	Weight(g)	ERD(mm)
700C(622-19)	580	596
26"(559-19)	525	535
24"(507-19)	475	482
20"(406-19)	380	380
16"(305-19)	285	280

**Holes** 20H/24H/28H/32H/36H


**Option** GSW/CSW


**Joint** Pinned







MP-32 



Size	
26"(559-26)	18"(355-26)
24"(507-26)	16"(305-26)
22"(456-26)	-
20"(406-26)	-

**Holes** 20H/24H/28H/32H/36H

**Option** GSW

**Joint** Pinned



MP-22



Size	
26"(559-23)	18"(355-23)
24"(507-23)	16"(305-23)
22"(456-23)	-
20"(406-23)	-


**Holes** 20H/24H/28H/32H/36H

**Option** GSW/CSW

**Joint** Pinned



A-6N



Size	
26"(559-21)	18"(355-21)
24"(507-21)	16"(305-21)
22"(456-21)	14"(254-21)
20"(406-21)	12"(203-21)


**Holes** 20H/24H/28H/32H/36H

**Option** GSW/CSW

**Joint** Pinned



A-5N



Size	
26"(559-21)	18"(355-21)
24"(507-21)	16"(305-21)
22"(456-21)	14"(254-21)
20"(406-21)	12"(203-21)

**Holes** 20H/24H/28H/32H/36H

**Option** GSW/CSW

**Joint** Pinned



A-8V



Size	
700C(622-16)	20"(406-16)
26"(559-16)	18"(355-16)
24"(507-16)	16"(305-16)
22"(456-16)	-

**Holes** 20H/24H/28H/32H/36H

**Option** GSW/CSW

**Joint** Pinned



A-8N



Size	
700C(622-19)	-
26"(559-19)	-
24"(507-19)	-
22"(456-19)	-


**Holes** 32H/36H

**Option** GSW/CSW

**Joint** Pinned



A-7N



Size	
700C(622-20)	20"(406-20)
26"(559-20)	18"(355-20)
24"(507-20)	16"(305-20)
22"(456-20)	-

**Holes** 20H/24H/28H/32H/36H

**Option** GSW/CSW

**Joint** Pinned



A-7V



Size	
700C(622-19)	20"(406-19)
26"(559-19)	18"(355-19)
24"(507-19)	16"(305-19)
22"(456-19)	-

**Holes** 20H/24H/28H/32H/36H

**Option** GSW/CSW

**Joint** Pinned



A-6V



Size	
700C(622-20)	-
26"(559-20)	-
24"(507-20)	-
22"(456-20)	-


**Holes** 20H/24H/28H/32H/36H

**Option** GSW/CSW

**Joint** Pinned



A-5V



Size	
28"(635-24)	-
700C(622-24)	-
26"(559-24)	-
24"(507-24)	-

**Holes** 32H/36H

**Option** GSW/CSW


**Joint** Pinned



Single Wall



## A-9X



### Size

700C(622-25)
26"(559-25)
24"(507-25)
20"(406-25)


**Holes** 28H/32H/36H

**Option** Eyelets/GSW/CSW

**Joint** Pinned



## A-8X



### Size

26"(559-25)	18"(355-25)
24"(507-25)	16"(305-25)
22"(456-25)	-
20"(406-25)	-

**Holes** 20H/24H/28H/32H/36H

**Option** Eyelets/GSW/CSW

**Joint** Pinned



## A-7X



### Size

26"(559-26)	18"(355-26)
24"(507-26)	16"(305-26)
22"(456-26)	-
20"(406-26)	-


**Holes** 20H/24H/28H/32H/36H

**Option** Eyelets/GSW/CSW

**Joint** Pinned



## LP-60



### Size

27"x1 1/4(630-20)	20"x1 3/8(451-20)
26"x1 3/8(590-20)	18"x1 3/8(400-20)
24"x1 3/8(540-20)	-
22"x1 3/8(490-20)	-

**Holes** 20H/24H/28H/32H/36H

**Option** GSW/CSW

**Joint** Pinned



## LP-50



### Size

27"x1 1/4(630-19)	20"x1 3/8(451-19)
26"x1 3/8(590-19)	18"x1 3/8(400-19)
24"x1 3/8(540-19)	12"(203-19)
22"x1 3/8(490-19)	-

**Holes** 20H/24H/28H/32H/36H

**Option** Eyelets/GSW/CSW

**Joint** Pinned



## A-6X



### Size

700C(622-17)	20"(406-17)
26"(559-17)	18"(355-17)
24"(507-17)	16"(305-17)
22"(456-17)	-

**Holes** 20H/24H/28H/32H/36H

**Option** GSW/CSW

**Joint** Pinned



## A-5X



### Size

700C(622-19)	20"(406-19)
26"(559-19)	18"(355-19)
24"(507-19)	16"(305-19)
22"(456-19)	-

**Holes** 20H/24H/28H/32H/36H

**Option** Eyelets/GSW/CSW

**Joint** Pinned



## LP-70



### Size

27"x1 1/4(630-21)	20"x1 3/8(451-21)
26"x1 3/8(590-21)	18"x1 3/8(400-21)
24"x1 3/8(540-21)	-
22"x1 3/8(490-21)	-

**Holes** 20H/24H/28H/32H/36H

**Option** GSW/CSW

**Joint** Pinned



## LP-40



### Size

27"x1 1/4(630-15)	20"x1 3/8(451-15)
26"x1 3/8(590-15)	18"x1 3/8(400-15)
24"x1 3/8(540-15)	-
22"x1 3/8(490-15)	-

**Holes** 20H/24H/28H/32H/36H

**Option** Eyelets/GSW


**Joint** Pinned






## Steel rim


7A



7N



7X



### Size

26"x1.75-2.125	16"x1.75-2.125
24"x1.75-2.125	14"x1.75-2.125
20"x1.75-2.125	12"x1.75-2.125
18"x1.75-2.125	-

**Holes** 16H, 20H, 28H, 32H, 36H

**Finish** BK, CP, ED or Painted Colors

**Gauges** 12G, 14G

### Size

26"x1.75-2.125	16"x1.75-2.125
24"x1.75-2.125	14"x1.75-2.125
20"x1.75-2.125	12"x1.75-2.125
18"x1.75-2.125	-

**Holes** 16H, 20H, 28H, 32H, 36H

**Finish** BK, CP, ED or Painted Colors

**Gauges** 14G

### Size

28"x1.75-2.125	20"x1.75-2.125
26"x1.75-2.125	18"x1.75-2.125
24"x1.75-2.125	16"x1.75-2.125


**Holes** 16H, 20H, 28H, 32H, 36H

**Finish** BK, CP, ED or Painted Colors

**Gauges** 12G, 14G

**Option** Dimpled or Non-dimpled holes

## Spokes and Nipples



### SPOKES

**Material** Steel

**Color** UCP/ED Black/CP

**Type** Standard

**Gauge** 10G, 14G

### NIPPLES


**Material** Steel, Brass

**Color** UCP/CP

**Type** Standard

## Motorcycle Rim


### STEEL RIM



#### Finish CP

14"x1.2	17"x1.4	14"x1.6
16"x1.2	18"x1.4	16"x1.6
17"x1.2	19"x1.4	17"x1.6
19"x1.2	21"x1.4	18"x1.6
		19"x1.6
		21"x1.6


### LUM ALLOY RIM



#### Finish Silver, Gold, Black, Blue, Red Anodized/ High Polish / Sand-Blasting

16"x1.2	10"x1.4	14"x1.5	10"x1.6	14"x1.85	12"x2.15	12"x2.5	14"x3.0
17"x1.2	12"x1.4	16"x1.5	12"x1.6	16"x1.85	14"x2.15	14"x2.5	16"x3.0
	14"x1.4	17"x1.5	14"x1.6	17"x1.85	16"x2.15	16"x2.5	17"x3.0
	16"x1.4	19"x1.5	16"x1.6	18"x1.85	17"x2.15	17"x2.5	18"x3.0
	17"x1.4		17"x1.6	19"x1.85	18"x2.15	18"x2.5	
	18"x1.4		18"x1.6	21"x1.85	19"x2.15	19"x2.5	
	19"x1.4		19"x1.6		21"x2.15	21"x2.5	
	21"x1.4		21"x1.6				


### H ALLOY RIM



#### Finish Silver, Gold, Black, Blue, Red Anodized/ High Polish / Sand-Blasting

14"x1.6	16"x1.85	17"x2.15	17"x2.5	17"x3.0
16"x1.6	17"x1.85	18"x2.15	18"x2.5	18"x3.0
17"x1.6	18"x1.85	19"x2.15	19"x2.5	
	19"x1.85	21"x2.15	21"x2.5	
	21"x1.85			

### MT ALLOY RIM



#### Finish Silver, Gold, Black, Blue, Red Anodized/ High Polish / Sand-Blasting

16"xMT2.15	16"xMT2.5	16"xMT3.0	14"xMT3.5	17"xMT4.0	17"xMT4.25
17"xMT2.15	17"xMT2.5	17"xMT3.0	16"xMT3.5		18"xMT4.25
18"xMT2.15	18"xMT2.5	18"xMT3.0	17"xMT3.5		
19"xMT2.15	19"xMT2.5		18"xMT3.5		
21"xMT2.15	21"xMT2.5				



[www.shining-cycle.com](http://www.shining-cycle.com)

E-Mail: [slcycle@shining-cycle.com](mailto:slcycle@shining-cycle.com)

Taiwan Factory

**SHEANG LIH CYCLE INDUSTRY CO., LTD.**

No.7, Hwan Gong Rd., Yung Kang Dist., Tainan City, Taiwan

Tel: +886-6-2042077-8 Fax: +886-6-2337514

Vietnam Factory

**SHEANG LIH CYCLE (VIETNAM) ENT. LTD.**

NO.21, Road DT743, Lot N, Song Than Industrial Zone II Tan Dong Hiep Commune,  
Di An District, Binh Duong Province, Vietnam

Tel: +84-6503730188 Fax: +84-6503730218